

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Issue date: 14/08/2025 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture Product name **BACTDET D 05** Product code 20005 Product group End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

: Professional use Main use category

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Mould treatment, dilute 1 - 4 with water

Use of the substance/mixture : Fungicide

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Mould Growth Consultants Ltd Unit A3 Longmead Business Centre Blenheim Road kT19 9QQ Epsom - Surrey

England

T 01372 743334

info@mgcltd.co.uk - www.mgcltd.co.uk

### 1.4. Emergency telephone number

**Emergency number** : 01372743334 (open office hours 9am - 5pm)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to GB CLP (SI 2019:720 as amended)

H318 Serious eye damage/eye irritation, Category 1 H400 Hazardous to the aquatic environment - Acute Hazard, Category 1 Hazardous to the aquatic environment - Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

## Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GHS UK)





GHS05

GHS09

Signal word (GHS UK)

: Danger

Contains : Alcohols, C9-11, ethoxylated Hazard statements (GHS UK)

: H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GHS UK) : P273 - Avoid release to the environment.

P280 - Wear protective clothing, eye protection, face protection, protective gloves.

14/08/2025 (Issue date) EN (English) 1/13

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER, a doctor.

P391 - Collect spillage.

P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and international regulations.

## 2.3. Other hazards

#### Results of PBT and vPvB assessment

| Component  |   |
|--|---|
| Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII  | PROPAN-2-OL (67-63-0), BIPHENYL-2-OL (90-43-7), Quaternary ammonium compounds, benzyl C12-C16 (even numbered)-alkyldimethyl chlorides (68424-85-1), Alcohols, C9-11, ethoxylated (68439-46-3) |
| Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII | PROPAN-2-OL (67-63-0), BIPHENYL-2-OL (90-43-7), Quaternary ammonium compounds, benzyl C12-C16 (even numbered)-alkyldimethyl chlorides (68424-85-1), Alcohols, C9-11, ethoxylated (68439-46-3) |

#### **Results of Endocrine Disruptor assessment**

| Component   |   |
|---|---|
| Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP | Alcohols, C9-11, ethoxylated(68439-46-3), Quaternary ammonium compounds, benzyl C12-C16 (even numbered)-alkyldimethyl chlorides(68424-85-1), PROPAN-2-OL(67-63-0), BIPHENYL-2-OL(90-43-7) |

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

| Name  | Product identifier  | %          | Classification according to GB CLP (SI 2019:720 as amended)                           |
|---|---|------------|---|
| Alcohols, C9-11, ethoxylated  | CAS-No.: 68439-46-3<br>EC-No.: 614-482-0                            | ≥ 1 – < 10 | Acute Tox. 4 (Oral), H302 (ATE=1378 mg/kg bodyweight) Eye Dam. 1, H318                |
| Quaternary ammonium compounds, benzyl C12-C16 (even numbered)-alkyldimethyl chlorides | CAS-No.: 68424-85-1<br>EC-No.: 939-253-5                            | < 1        | STOT RE 2, H373<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                   |
| PROPAN-2-OL substance with workplace exposure limit(s)                                | CAS-No.: 67-63-0<br>EC-No.: 200-661-7<br>UK Index-No.: 603-117-00-0 | < 1        | Flam. Liq. 3, H226<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                           |
| BIPHENYL-2-OL   | CAS-No.: 90-43-7<br>EC-No.: 201-993-5<br>UK Index-No.: 604-020-00-6 | < 1        | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>Aquatic Acute 1, H400 |

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Self protection of the first-aider : First aid workers will be equipped with suitable personal protective equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions. Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

14/08/2025 (Issue date) EN (English) 3/13

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

## 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| PROPAN-2-OL (67-63-0)                         |                                       |  |
|---|---------------------------------------|--|
| United Kingdom - Occupational Exposure Limits |                                       |  |
| Local name Propan-2-ol                        |                                       |  |
| WEL TWA (OEL TWA)                             | 999 mg/m³                             |  |
|   | 400 ppm                               |  |
| WEL STEL (OEL STEL)                           | 1250 mg/m³                            |  |
|   | 500 ppm                               |  |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE |  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liauid : Colourless. Colour : Not available Odour Odour threshold : Not available : Not available pΗ Melting point : Not applicable Freezing point : Not available Boiling point : Not available : > 93 °C Flash point : Not available Flammability : Not available **Explosive limits** : Not available Vapour pressure Vapour pressure at 50°C : Not available Relative vapour density at 20°C : Not available : Not available Relative density Density : Not available : Miscible with water. Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Auto-ignition temperature Decomposition temperature : Not available Viscosity, kinematic : Not available

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Explosive properties : Not available

#### 9.2. Other information

Particle characteristics : Not applicable

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| Acute toxicity (illinatation)  | Not destined (Based of available data, the destined of cherical are not met)   |  |  |
|--|--|--|--|
| PROPAN-2-OL (67-63-0)  |  |  |  |
| LD50 oral rat  | 5840 mg/kg Source: ECHA  |  |  |
| LD50 dermal rabbit   | 12800 mg/kg Source: ECHA   |  |  |
| BIPHENYL-2-OL (90-43-7)  |  |  |  |
| LD50 oral rat  | 2733 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)), Guideline: other:, Guideline: other: |  |  |
| LD50 dermal rat  | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:  |  |  |
| LC50 Inhalation - Rat  | > 0.036 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:   |  |  |
| Quaternary ammonium compounds, benzyl C12-C16 (even numbered)-alkyldimethyl chlorides (68424-85-1) |  |  |  |
| LD50 dermal rabbit   | 3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)  |  |  |
| Alcohols, C9-11, ethoxylated (68439-46-3)  |  |  |  |
| LD50 oral rat  | 1378 mg/kg Source: Corporate Solution From Thomson Micromedex  |  |  |
| LD50 dermal rat  | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |  |  |

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| Alcohols, C9-11, ethoxylated (68439-46-3)        |   |
|--|---|
| LD50 dermal rabbit                               | 2000 mg/kg Source: Corporate Solution From Thomson Micromedex   |
| LC50 Inhalation - Rat                            | > 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)   |
| Skin corrosion/irritation :                      | Not classified (Based on available data, the classification criteria are not met)   |
| BIPHENYL-2-OL (90-43-7)                          |   |
| рН   | 5.8 Concentration: 1 other:   |
| Alcohols, C9-11, ethoxylated (68439-46-3)        |   |
| рН   | 6 – 7.5   |
| Serious eye damage/irritation :                  | Causes serious eye damage.  |
| BIPHENYL-2-OL (90-43-7)                          |   |
| рН   | 5.8 Concentration: 1 other:   |
| Alcohols, C9-11, ethoxylated (68439-46-3)        |   |
| рН   | 6 – 7.5   |
| Respiratory or skin sensitisation :              | Not classified (Based on available data, the classification criteria are not met)   |
| Germ cell mutagenicity                           | Not classified (Based on available data, the classification criteria are not met)   |
| Carcinogenicity :                                | Not classified (Based on available data, the classification criteria are not met)   |
| PROPAN-2-OL (67-63-0)                            |   |
| IARC group                                       | 3 - Not classifiable  |
| BIPHENYL-2-OL (90-43-7)                          |   |
| NOAEL (chronic, oral, animal/male, 2 years)      | 200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: other:, Guideline: other:     |
| NOAEL (chronic, oral, animal/female, 2 years)    | ≥ 647 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: other:, Guideline: other: |
| Reproductive toxicity :                          | Not classified (Based on available data, the classification criteria are not met)   |
| STOT-single exposure                             | Not classified (Based on available data, the classification criteria are not met)   |
| PROPAN-2-OL (67-63-0)                            |   |
| STOT-single exposure                             | May cause drowsiness or dizziness.  |
| STOT-repeated exposure :                         | Not classified (Based on available data, the classification criteria are not met)   |
| Quaternary ammonium compounds, benzyl            | C12-C16 (even numbered)-alkyldimethyl chlorides (68424-85-1)  |
| NOAEL (subchronic, oral, animal/male, 90 days)   | 50 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)  |
| NOAEL (subchronic, oral, animal/female, 90 days) | 45 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)                                      |
| Alcohols, C9-11, ethoxylated (68439-46-3)        |   |
| NOAEL (oral, rat, 90 days)                       | ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-<br>Day Oral Toxicity Study in Rodents)   |
| Aspiration hazard :                              | Not classified (Based on available data, the classification criteria are not met)   |
| Other information                                |   |

## Other information

No additional information available

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

| (chronic)                                 |   |  |  |
|---|---|--|--|
| PROPAN-2-OL (67-63-0)                     |   |  |  |
| LC50 - Fish [1]                           | 9640 mg/l Source: ECHA  |  |  |
| LC50 - Fish [2]                           | 9640 mg/l Test organisms (species): Pimephales promelas   |  |  |
| BIPHENYL-2-OL (90-43-7)                   |   |  |  |
| LC50 - Fish [1]                           | 4.5 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)   |  |  |
| EC50 72h - Algae [1]                      | 3.57 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |  |  |
| EC50 72h - Algae [2]                      | 1.35 mg/l Test organisms (species): Raphidocelis subcapitata (previous names:     Pseudokirchneriella subcapitata, Selenastrum capricornutum) |  |  |
| EC50 96h - Algae [1]                      | 3.78 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |  |  |
| EC50 96h - Algae [2]                      | 1.32 mg/l Test organisms (species): Raphidocelis subcapitata (previous names:     Pseudokirchneriella subcapitata, Selenastrum capricornutum) |  |  |
| LOEC (chronic)                            | 0.022 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |  |  |
| NOEC (chronic)                            | 0.009 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |  |  |
| NOEC chronic fish                         | 0.036 mg/l Test organisms (species): Pimephales promelas Duration: '21 d'   |  |  |
| Quaternary ammonium compounds, benzyl     | C12-C16 (even numbered)-alkyldimethyl chlorides (68424-85-1)  |  |  |
| LC50 - Fish [1]                           | 0.515 mg/l Test organisms (species): Lepomis macrochirus  |  |  |
| EC50 - Crustacea [1]                      | 0.016 mg/l Test organisms (species): Daphnia magna  |  |  |
| EC50 96h - Algae [1]                      | 0.01 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |  |  |
| EC50 96h - Algae [2]                      | 0.03 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |  |  |
| Alcohols, C9-11, ethoxylated (68439-46-3) |   |  |  |
| LC50 - Fish [1]                           | 5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)   |  |  |
| EC50 - Crustacea [1]                      | 2.5 mg/l Test organisms (species): Daphnia magna  |  |  |
| EC50 96h - Algae [1]                      | 1.4 mg/l Test organisms (species): Raphidocelis subcapitata (previous names:     Pseudokirchneriella subcapitata, Selenastrum capricornutum)  |  |  |

## 12.2. Persistence and degradability

| BACTDET D 05   |  |  |
|--|--|--|
| Persistence and degradability Not rapidly degradable |  |  |
| PROPAN-2-OL (67-63-0)                                |  |  |
| Persistence and degradability Not rapidly degradable |  |  |

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| BIPHENYL-2-OL (90-43-7)  |                        |  |
|--|------------------------|--|
| Persistence and degradability  Not rapidly degradable  |                        |  |
| Quaternary ammonium compounds, benzyl C12-C16 (even numbered)-alkyldimethyl chlorides (68424-85-1) |                        |  |
| Persistence and degradability Not rapidly degradable   |                        |  |
| Alcohols, C9-11, ethoxylated (68439-46-3)  |                        |  |
| Persistence and degradability  | Not rapidly degradable |  |

#### 12.3. Bioaccumulative potential

| PROPAN-2-OL (67-63-0)                           |                   |
|---|-------------------|
| Partition coefficient n-octanol/water (Log Pow) | 0.05 Source: ICSC |

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

| Component  |  |
|--|--|
| PROPAN-2-OL (67-63-0)  | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |
| BIPHENYL-2-OL (90-43-7)  | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |
| Quaternary ammonium compounds, benzyl C12-C16 (even numbered)-alkyldimethyl chlorides (68424-85-1) | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |
| Alcohols, C9-11, ethoxylated (68439-46-3)  | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |

## 12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional waste regulation
Waste treatment methods
Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

HP Code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR             | IMDG          | IATA          | ADN           | RID           |
|-----------------|---------------|---------------|---------------|---------------|
| 14.1. UN number |               |               |               |               |
| UN 3082         | Not regulated | Not regulated | Not regulated | Not regulated |

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| ADR  | IMDG          | IATA          | ADN           | RID           |
|--|---------------|---------------|---------------|---------------|
| 14.2. UN proper shipping   | name          |               |               |               |
| ENVIRONMENTALLY<br>HAZARDOUS<br>SUBSTANCE, LIQUID,<br>N.O.S.             | Not regulated | Not regulated | Not regulated | Not regulated |
| Transport document descri  | ption         |               |               |               |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-) | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard c   | lass(es)      |               |               |               |
| 9  | Not regulated | Not regulated | Not regulated | Not regulated |
| 9  | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group  |               |               |               |               |
| III  | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental haza   | ards          |               |               |               |
| Dangerous for the environment: Yes                                       | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information   | n available   | 1             |               |               |

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601, 650

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

## Transport by sea

Not regulated

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

#### **UK REACH Annex XVII (Restriction List)**

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

#### **UK REACH Annex XIV (Authorisation List)**

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

#### **UK REACH Candidate List (SVHC)**

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

#### **GB PIC regulation (Prior Informed Conset)**

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

### **POP Regulation (Persistent Organic Pollutants)**

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

#### Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

## **Control of Poisons and Explosives Precursors Act**

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

#### **Drug Precursors Regulation (EC 273/2004)**

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

## 15.1.2. Other Information

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

| Abbreviations and acronyms: |   |  |
|-----------------------------|---|--|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |  |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |  |
| ATE                         | Acute Toxicity Estimate   |  |

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| Abbreviations and acr | Abbreviations and acronyms:  |  |  |  |
|-----------------------|--|--|--|--|
| BCF                   | Bioconcentration factor  |  |  |  |
| BLV                   | Biological limit value   |  |  |  |
| BOD                   | Biochemical oxygen demand (BOD)  |  |  |  |
| BS EN                 | British Standard   |  |  |  |
| CAS-No.               | Chemical Abstract Service number   |  |  |  |
| COD                   | Chemical oxygen demand (COD)   |  |  |  |
| DMEL                  | Derived Minimal Effect level   |  |  |  |
| DNEL                  | Derived-No Effect Level  |  |  |  |
| EC-No.                | European Community number  |  |  |  |
| EC50                  | Median effective concentration   |  |  |  |
| ED                    | Endocrine disruptor  |  |  |  |
| IARC                  | International Agency for Research on Cancer                                  |  |  |  |
| IATA                  | International Air Transport Association                                      |  |  |  |
| IMDG                  | International Maritime Dangerous Goods                                       |  |  |  |
| LC50                  | Median lethal concentration  |  |  |  |
| LD50                  | Median lethal dose   |  |  |  |
| LOAEL                 | Lowest Observed Adverse Effect Level   |  |  |  |
| NOAEC                 | No-Observed Adverse Effect Concentration                                     |  |  |  |
| NOAEL                 | No-Observed Adverse Effect Level   |  |  |  |
| NOEC                  | No-Observed Effect Concentration   |  |  |  |
| N.O.S.                | Not Otherwise Specified  |  |  |  |
| OECD                  | Organisation for Economic Co-operation and Development                       |  |  |  |
| OEL                   | Occupational Exposure Limit  |  |  |  |
| PBT                   | Persistent Bioaccumulative Toxic   |  |  |  |
| PNEC                  | Predicted No-Effect Concentration  |  |  |  |
| RID                   | Regulations concerning the International Carriage of Dangerous Goods by Rail |  |  |  |
| SDS                   | Safety Data Sheet  |  |  |  |
| STP                   | Sewage treatment plant   |  |  |  |
| ThOD                  | Theoretical oxygen demand (ThOD)   |  |  |  |
| TLM                   | Median Tolerance Limit   |  |  |  |
| VOC                   | Volatile Organic Compounds   |  |  |  |
| vPvB                  | Very Persistent and Very Bioaccumulative                                     |  |  |  |

| Full text of H- and EUH-statements: |   |  |
|-------------------------------------|---|--|
| Acute Tox. 4 (Dermal)               | Acute toxicity (dermal), Category 4                               |  |
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |  |
| Aquatic Acute 1                     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |  |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |  |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |  |

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| Full text of H- and EUH-statements: |  |  |
|-------------------------------------|--|--|
| Carc. 2                             | Carcinogenicity, Category 2  |  |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                          |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                          |  |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |  |
| Skin Corr. 1                        | Skin corrosion/irritation, Category 1                                  |  |
| Skin Sens. 1B                       | Skin sensitisation, category 1B  |  |
| STOT SE 3                           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |  |
| H225                                | Highly flammable liquid and vapour.                                    |  |
| H302                                | Harmful if swallowed.  |  |
| H312                                | Harmful in contact with skin.  |  |
| H314                                | Causes severe skin burns and eye damage.                               |  |
| H317                                | May cause an allergic skin reaction.                                   |  |
| H318                                | Causes serious eye damage.   |  |
| H319                                | Causes serious eye irritation.   |  |
| H336                                | May cause drowsiness or dizziness.                                     |  |
| H351                                | Suspected of causing cancer.   |  |
| H400                                | Very toxic to aquatic life.  |  |
| H410                                | Very toxic to aquatic life with long lasting effects.                  |  |
| H411                                | Toxic to aquatic life with long lasting effects.                       |  |

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.