

Page 1/10

# Safety data sheet according to 1907/2006/EC, as amended by 2020/878

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier For consumer and professional use.
- · Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion
- · **UFI:** E6V4-604E-P002-9GQJ
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Surface Coating
- · Application of the substance / the mixture Surface Coating
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Mould Growth Consultants Ltd. Unit A3 Longmead Business Centre Blenheim Road

Epsom Surrey

KT19 9QQ

Tel: 01372 743334 Email: info@mgcltd.co.uk

- · Further information obtainable from: www.mgcltd.co.uk
- · 1.4 Emergency telephone number: +44 (0) 1372 743334 (business hours)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

(Contd. on page 2)

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

(Contd. of page 1)

#### · Hazard-determining components of labelling:

2-octyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

#### · Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

*Avoid breathing dust/fume/gas/mist/vapours/spray.* 

*P273* Avoid release to the environment.

*P280* Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

*P321* Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 108-01-0	2-dimethylaminoethanol	≤2.5%
EINECS: 203-542-8	Flam. Liq. 3, H226; Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C≥5 %	
CAS: 330-54-1	3-(3,4-dichlorophenyl)-1,1-dimethylurea	≤2.5%
EINECS: 206-354-4	<ul> <li>Carc. 2, H351; STOT RE 2, H373;</li> <li>Aquatic Acute 1, H400 (M=10);</li> <li>Acute Tox. 4, H302</li> </ul>	
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	≤2.5%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg  LD50 dermal: 311 mg/kg  Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	
CAS: 13463-41-7	pyrithione zinc	≤2.5%
EINECS: 236-671-3	♠ Acute Tox. 3, H301; Acute Tox. 2, H330; ♠ Repr. 1A, H360D; STOT RE 1, H372; ♠ Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=10)  ATE: LD50 oral: 221 mg/kg	

ΙE

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

	(Contd.	of page 2)
CAS: 886-50-0	terbutryn	≤2.5%
EINECS: 212-950-5	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Acute Tox. 4, H302; Skin Sens. 1B, H317	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]	≤2.5%
EC number: 611-341-5	and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; 🥎 Skin Corr.	
	1C, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=100); Aquatic	
	Chronic 1, H410 (M=100); か Škin Sens. 1A, H317, EUH071	
	Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6 \%$	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: $0.06 \% \le C < 0.6 \%$	
	Škin Sens. 1A; H317: C ≥ 0.0015 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing. Immediately rinse with water.

- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately and show safety datasheet or label.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · **Protective equipment:** Put on breathing apparatus

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

(Contd. of page 3)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/extraction at the workplace.

Prevent formation of aerosols.

Hygiene measures:

Wash hands before breaks and at the end of workday.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed and in a well-ventilated place.

Keep away from heat.

· 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

	· DNELs			
Ī	108-01-0 2-dimethylaminoethanol			
Ī	Dermal	DNEL	1.04 mg/day (Human)	
1	Inhalative	DNEL	7.4 mg/m³ (Human)	
	55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			
	Oral	DNEL	0.09 mg/day (Con)	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Respiratory protection: When spraying the product, use a respiratory protective device.
- · Hand protection



(Contd. on page 5)

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

· Eye/face protection Goggles recommended during refilling

(Contd. of page 4)

<b>SECTION</b>	9: Ph	vsical and	d chemica	I properties
DECITOR	7 . I IV	politic terri	i Chemica	properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:LiquidWhite

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of

similarpurity)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Decomposition temperature: Not determined.

• pH at 20 °C 8.3

· Viscosity:

• Kinematic viscosity Not determined. • Dynamic at 20 °C: 11,000 mPas

· Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

• Organic solvents: 0.6 %
 • Water: 48.7 %
 • Solids content: 52.2 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

(Contd. on page 6)

Version number: 1.06 (replaces version 1.05) Printing date 14.01.2025 Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

(Contd. of page 5)

· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	le gases
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

No dangerous decomposition products when stored and handled correctly

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

	There is a second of a familiar and a second of the second of the familiar and a second of the s		
· LD/LC50 1	· LD/LC50 values relevant for classification:		
108-01-0 2	108-01-0 2-dimethylaminoethanol		
Oral	LD50	1,182.7 mg/kg (Rat)	
Dermal	LD50	1,219 mg/kg (Rab)	
Inhalative	LC50/4 h	5.19 mg/l (Rat)	
26530-20-	26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)	
Dermal	LD50	311 mg/kg (ATE)	
55965-84-	9 reaction	mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-	
	isothiazo	l-3-one [EC no. 220-239-6] (3:1)	
Oral	LD50	64 mg/kg (Rat)	
Dermal	LD50	92.4 mg/kg (Rabbit)	
Inhalative	LC50/4 h	0.171 mg/l (rat)	
Duine ann in	· Primary irritant offoct		

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

(Contd. of page 6)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

330-54-1 3-(3,4-dichlorophenyl)-1,1-dimethylurea

List II

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	

(Contd. on page 8)

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

		(Contd. of page 7)
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>to IMO</b> Not applicable.	
UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

	· Regulation (EU) No 649/2012		
I	330-54-1	3-(3,4-dichlorophenyl)-1,1-dimethylurea	Annex I Part 1
			Annex I Part 2

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %	
Wasser	46.9	
NK	0.6	

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

ΙE

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

(Contd. of page 8)

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Full text of H-Statements referred to under sections 2 and 3:

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- *H400 Very toxic to aquatic life.*
- *H410 Very toxic to aquatic life with long lasting effects.*
- EUH071 Corrosive to the respiratory tract.
- Date of previous version: 23.12.2024
- · Version number of previous version: 1.05

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent. Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Flam. Liq. 3: Flammable liquids Category 3
- Acute Tox. 4: Acute toxicity Category 4
- Acute Tox. 2: Acute toxicity Category 2
- Acute Tox. 3: Acute toxicity Category 3
- Skin Corr. 1: Skin corrosion/irritation Category 1
- Skin Corr. 1B: Skin corrosion/irritation Category 1B
- Skin Corr. 1C: Skin corrosion/irritation Category 1C
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Skin Sens. 1: Skin sensitisation Category 1
- Skin Sens. 1A: Skin sensitisation Category 1A
- Skin Sens. 1B: Skin sensitisation Category 1B
- Carc. 2: Carcinogenicity Category 2
- Repr. 1A: Reproductive toxicity Category 1A
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1
- STOT RE 2: Specific target organ toxicity (repeated exposure) Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1

(Contd. on page 10)

Page 10/10

# Safety data sheet according to 1907/2006/EC, as amended by 2020/878

Printing date 14.01.2025 Version number: 1.06 (replaces version 1.05) Revision: 14.01.2025

Trade name: MGC MKS2 Biocheck Vinyl Matt Emulsion

(Contd. of page 9)

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

\_