

MGC FUNGICIDAL ADDITIVE 50ML

Page: 1

Compilation date: 22/05/2015 Revision date: 01/11/2018

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MGC FUNGICIDAL ADDITIVE 50ML

Product code: 20009-10

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Mould Growth Consultants Ltd

Unit A3

Longmead Business Centre

- **Blenheim Road**
- Epsom
- KT19 9QQ

United Kingdom

Tel: 01372 743334

Fax: 01372 720856

Email: info@mgcltd.co.uk

1.4. Emergency telephone number

Emergency tel: 01372 743334

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Sens. 1: H317; STOT RE 1: H372
Most important adverse effects:	May cause an allergic skin reaction. Causes serious eye damage. Causes damage to organs (Larynx) through prolonged or repeated exposure ([inhalation (vapour)]). Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
2.2. Label elements	
Label elements:	
Hazard statements:	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H372: Causes damage to organs (Larynx) through prolonged or repeated exposure
	([inhalation (vapour)]).
	H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

[cont...]

MGC FUNGICIDAL ADDITIVE 50ML

Page: 2

Hazard pictograms:	GHS05: Corrosion
	GHS07: Exclamation mark
	GHS08: Health hazard
	GHS09: Environmental
Signal words:	Danger
Precautionary statements:	P102: Keep out of reach of children.
	P260: Do not breathe fumes.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P362+P364: Take off contaminated clothing and wash it before reuse.
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

3-IODO-2-PROPYNYL BUTYLCARBAMATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
259-627-5	55406-53-6	-	Acute Tox. 3: H331; Acute Tox. 4: H302; STOT RE 1: H372; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	10-30%

Section 4: First aid measures

4.1. Description of first aid m	easures
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.
	Drench the affected skin with running water for 10 minutes or longer if substance is still
	on skin. Consult a doctor.
Eye contact:	If substance has got into eyes, immediately wash out with plenty of water for at least 15
	minutes. Call a doctor immediately
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water
	to drink immediately. IF SWALLOWED: Immediately call a POISON CENTRE/Doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a
	doctor.

MGC FUNGICIDAL ADDITIVE 50ML

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

MGC FUNGICIDAL ADDITIVE 50ML

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC9a: Coatings and paints, thinners, paint removers.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Pale yellow		
Odour:	Barely perceptible odour		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	Soluble		
Viscosity:	No data available.		
Boiling point/range°C:	>200	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	>93	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	>200	Vapour pressure:	2 hPa (20°C)
Relative density:	No data available.	pH:	4.7
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

MGC FUNGICIDAL ADDITIVE 50ML

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	300-500	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur. There may be vomiting.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Section 12: Ecological inform	nation

[cont...]

MGC FUNGICIDAL ADDITIVE 50ML

Page: 6

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
FISH	96H LC50	0.43	mg/l
ALGAE	72H IC50	0.026	mg/l
Daphnia magna	48H EC50	0.21	mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Very toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Disposal of packaging:	Arrange for collection by specialised disposal company.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(3-IODO-2-PROPYNYL BUTYLCARBAMATE)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

MGC FUNGICIDAL ADDITIVE 50ML

14.5. Environmental hazards	
Environmentally hazardous:	Yes Marine pollutant: Yes
14.6. Special precautions for	user
Tunnel code:	E
Transport category:	3
Section 15: Regulatory inforr	nation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
15.2. Chemical Safety Assess	ment
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.
Section 16: Other information	n and a second
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H331: Toxic if inhaled.
	H331: Toxic if inhaled.
	H331: Toxic if inhaled. H372: Causes damage to organs (Larynx) through prolonged or repeated exposure
	H331: Toxic if inhaled. H372: Causes damage to organs (Larynx) through prolonged or repeated exposure ([inhalation (vapour)]).
	H331: Toxic if inhaled. H372: Causes damage to organs (Larynx) through prolonged or repeated exposure ([inhalation (vapour)]). H372: Causes damage to organs through prolonged or repeated exposure.
	 H331: Toxic if inhaled. H372: Causes damage to organs (Larynx) through prolonged or repeated exposure ([inhalation (vapour)]). H372: Causes damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life.
Legal disclaimer:	 H331: Toxic if inhaled. H372: Causes damage to organs (Larynx) through prolonged or repeated exposure ([inhalation (vapour)]). H372: Causes damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.
Legal disclaimer:	 H331: Toxic if inhaled. H372: Causes damage to organs (Larynx) through prolonged or repeated exposure ([inhalation (vapour)]). H372: Causes damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.